



TECHNICAL SHEET

# **0'bloo** led option

# 360° phototherapy cradle



Médipréma has designed the o'bloo intensive 360° phototherapy cradle, which offers an irradiance applied evenly and simultaneously over the entire body surface of the child. Intensive 360 phototherapy tunnel, as o'bloo type, significantly reduce the duration of the treatment and limit the number of exchange transfusions.

#### FULL EXPOSURE OF THE BODY OF THE CHILD TO THE LIGHTING

• Typical irradiance at 360° of 5 mW/cm<sup>2</sup> (about 80 µW /cm<sup>2</sup>/nm)

• 12 bars of blue LED treatment arranged in 2 semi-cylindrical hoods



#### SAFETY FOR THE CHILD PLACED ON A COMFORTABLE HAMMOCK

for the duration of the therapy

• Removable and foldable front screen for easy access to the child on their slide-out bed

• Protective screens bordering the hammock

• Lateral windows for visual monitoring without interrupting the treatment

... STORAGE SPACE FOR ACCESSORIES

👬 médiprén

on the shelf and in the slide-out drawer
Many accessories can be fastened to the standardised rail that goes around the cradle

# EASY TO MOVE

with 1 handle located at the rear of the device • Stand equipped with 4 castor wheels of which 2 with a brake

# **O'bloo led option** 360° phototherapy cradle

### CONTROL BOX

with eye-level screen for good visibility of the parameters and alarms

- Programming of exposure time
- **Time counter** for total usage time of the LEDs and of the device
- Pause button allowing the treatment to be suspended during intervention on the child

# TEMPERATURE MONITORING WITH ASSOCIATED AUDIBLE AND VISUAL ALARMS

• Skin temperature of the infant: the high and low thresholds allow to prevent any risk of hypo or hyper-thermia

• Temperature of the inside air of the crib: the high threshold allow to limit the risk of hyperthermia

#### BUILT-IN PULSE OXIMETER (optional)

 $\bullet$  Display on the control screen of the measurements of the SpO2 and of the heart rate, Perfusion Index and indicators of the signal quality

 $\bullet$  Audible alarms that can be adjusted according to high and low thresholds of the SpO2 and of the heart rate

# ACCESSORIES

# Médipréma recommends using Eyemax phototherapy goggles during the treatment



## RADIOMETER

Médipréma recommends using the BabyBlue radiometer for irradiance controls as preventive maintenance

# TECHNICAL SPECIFICATIONS

Light source	12 bars of blue LED treatment arranged in 2 semi-cylindrical hoods Class GRO device: no photobiological hazard		
Luminous flux	Typical irradiance at 360° of 5 mW/cm <sup>2</sup> (about 80 $\mu$ W/cm <sup>2</sup> /nm) Measured between 400 and 550 nanometres (active spectrum DIN 5031) with the BabyBlue radiometer at the centre of the device		
Service life of the LEDs	> 50,000 h		
Exposure surface	Maximum: 360° around the hammock		
Hammock	<ul> <li>- 60 x 30cm, polyester (OEKO-TEX Standard 100 Class I)</li> <li>- Slides out 75%</li> <li>- Max. infant weight + accessories: 5kg</li> </ul>		
Sound level	< 35 dB(A)		
Programming of exposure time	Yes		
Total LED usage time counter	Yes - verification message of the luminous flux every 10,000h		
Pause button	Yes		
Skin temperature monitoring	Yes - alarms for high and low skin temperature thresholds		
Inside air temperature monitoring	Yes $\ \ $ - alarm and pausing of the treatment if air temperature higher than 38°C		
Built-in pulse oximeter measurement range (option)	- SpO2: 70-100% - Heart rate: 18-321 bpm		
Dimensions of the device LxWxH / Weight	83.3 x 64.5 x 141 cm / 54kg		
Opening clearance of the upper hood	33 cm - cylinder mounted		
Storage areas	Shelf: max 3kg Drawer: max 1kg		
Mobility	4 castor wheels ø 75 mm, of which 2 with brakes		
Power consumption	120 VA / 90 W		
Power supply voltage	110-240V, 50/60Hz		
Electrical classification	I, Туре BF		
Storage conditions	Ambient temperature between -10°C and 40°C Humidity: 20-90%		
Operating conditions	Ambient temperature between 20°C and 32°C Humidity: 40-90%		
CE 0459 93/42/EEC medical device	Class II a		

# For your accessory orders

Reference

360° phototherapy crib	oʻbloo LED option	1950 (LED option)
Protection for the child's eyes required	Single-use phototherapy goggles, guaranteed latex-free: - Micro: head circumference from 20 to 25cm - Preemie: head circumference from 26 to 32cm - Regular: head circumference from 33 to 38cm	4165 4166 4167
Skin temperature monitoring	Reusable skin probe PT1000 Ready-to-use single-patient skin probe Repositionable hydrogel probe patch	3617 3623 3159
Preventive maintenance	BabyBlue radiometer recommended	5100



ZA Node Park Touraine - 470 rue Gilles de Gennes - BP 8 - 37310 TAUXIGNY - FRANCE Tel. +33 (0)2 47 28 47 87 - Fax +33 (0)2 47 27 35 85 - www.mediprema.com



